



— 2017 —

TIRES • WHEELS • TUBES

CATALOG

SERVICE. INNOVATION. SUCCESS.

countrywidetire.com

Lined area for notes.

TABLE OF CONTENTS

What's New	4
Marketing Support	5
Distribution Program	6
Customer Service & Contact Information	8
Warranty	9
Low Speed Tires	10
51 different SKUs across 10 tread patterns from RubberMaster, Deli, and Deestone.	
Trailer Tires	18
Complete line of RubberMaster and Deestone trailer tires.	
All Terrain Vehicle Tires	24
Our ATV/UTV selection is complete with all of the popular sizes.	
Agricultural Tires	34
A growing selection of agricultural tires from RubberMaster, Deli, and Deestone.	
Forklift Tires	38
Choose from 8 sizes of pneumatic forklift tire from Deestone.	
SteelMaster Wheels	40
High quality steel wheels for low speed, high speed trailer, and agricultural applications.	
Custom Tire & Wheel Assemblies	44
Our tire and wheel assembly specialists can mount hundreds of combinations, all with NO ASSEMBLY FEE!	
Inner Tubes	48
Choose from the largest selection of inner tubes in the nation with over 300 RubberMaster Plus SKUs to choose from.	
Flaps	58
An extensive selection of 18 RubberMaster Plus flaps.	
Inner Tube & Assembly Valves	60
The perfect complement to our tires and wheels, we offer an array of more than 30 valves to fit most any application.	

INNOVATION AT YOUR FINGERTIPS.

We're working on a new B2B ecommerce experience
that will revolutionize the way you do business.

LAUNCHING 2017

LAWN & GARDEN

ST RADIAL TRAILER

AGRICULTURE

ALL STEEL

BIAS HIGH SPEED




We are excited to continue to complete
our offering of our reliable **RUBBERMASTER**
brand. You will find it represented in
nearly every product line at Countrywide.
Pair it with our **STEELMASTER** line for a
quality assembly!

MARKETING SUPPORT

We have a wide selection of marketing materials ready and waiting for your order. Looking for something custom? Just check with your Account Manager, and we may even be able to provide co-branded materials for your use. With our help, you'll have the opportunity to capture your customers' attention and sell more effectively.

Here's a Sampling of Materials We Can Offer



Handouts & Eblasts




Labels



Tire Inserts



Flyers



Catalogs



Posters

Plus many more options to help your business succeed! Call today for details.

DISTRIBUTION PROGRAM

SERVICE. INNOVATION. SUCCESS.

We have made distribution easy!

Offering two ways that provide different price points, services, and delivery to fit your business needs. The best part is that we are helping you succeed every day!

Just look at the numbers!



Warehouse/Fill-in Program

We're reacting to your demand as soon as you have it. Our purchasing model and demand planning allows us to have your product right when you need it. **Just in time.**

- Prepaid Freight
- Consistently High Fill Rates - 99% of orders placed are completely filled
- Fast Turn - 100% of orders are fulfilled within 1-2 business days from confirmation
- Drop Shipping – Available for customers located anywhere in the Continental United States
- Custom Labeling - Available upon request
- Order Tracking/Shipping Notification
- Price Change Notification



Factory Direct Container Program

Linking your container quantity orders from our factory to your dock! With our **demand planning tool**, we are able to improve our services to you by matching your demand with our supply every month!

98% of our containers have arrived on time!

Order tracking system that provides the status of your direct shipments including:

- Departure from factory
- Arrival at port
- Delivery release, 24-hour notice
- Post delivery follow-up

DISTRIBUTION PROGRAM

Container Builder Tool

Ordering is made simple with our Container Builder tool.

Schedule receiving dates based on your current inventory levels at the time the order is placed.

Requested receiving dates must be at least 90 days after order submission.

The Perfect Pallet



Pallet content is wrapped and secured with black stretch wrap to keep content intact and ensure safe delivery.

Security tape helps ensure that the pallet's content has not been tampered with.

Pallets are labeled with:

- Packing slip (order breakdown)
- Quality control label (checklist of quality control measures)
- Placard label (displays the number of pallets an order consists of)

Custom Labeling

Your Logo Here

← Logo

Item Number

← Item Number

13.6/14.9/15.5R38 TR218A

← Description

Q'TY = 10

← Quantity



← Barcode

#####



*At Countrywide Tire, we are proud of our industry leading fill rates. Each order that is 100% filled will include this badge.

Custom labeling is available for any item at no extra cost. Include your logo, Item number, size, quantity, and barcode.

CUSTOMER SERVICE & CONTACT INFORMATION

We're There for You

We're continually seeking out innovative new solutions which will enable us to keep improving the level of service we offer our customers.

Here's How We Help

When you call us, we answer. You won't find an automated voice mail system at Countrywide. We always have a live person on the phone ready to help with your every need. Live Chat is also available at www.countrywidetire.com if you prefer to chat electronically.

In addition to answering your calls immediately, you also have an Account Manager dedicated to your business. This means having someone who knows you and knows your needs. This close relationship helps you accomplish things quickly and efficiently with as much ease as possible.

Shoot Us an Email

Questions regarding your account? accounting@countrywidetire.com

Questions regarding products? customerservice@countrywidetire.com

Questions regarding credit/returns? returns@countrywidetire.com

Questions regarding our website? customerservice@countrywidetire.com

Or, simply call now: 1-800-328-0773



ULTIMATE ADVANTAGE LIFETIME WARRANTY

Here's How It Works

We are proud to offer this warranty for all of our products with the exception of the products offered in our Agriculture & OTR Warranty. The Ultimate Advantage Lifetime Warranty covers products from defects as well as both road and field hazards. It's this simple...

- Free replacement guarantee
- No prorating
- No time consuming forms
- No defective product returns



In the case of a product defect, an instant credit will be issued to you with an email to our Credit Department. If there is a service call involved, simply send us a copy of the service call invoice and four pictures. We'll cover 100% of the service call cost as well.

When you offer our Ultimate Advantage Lifetime Warranty to your customers, you'll find it's an extremely effective selling tool that will give you a huge advantage over your competition. Now, you can build your warranty and tailor it to fit your customers' needs.

And Here's How to File a Claim

Our Ultimate Credit Process found at countrywidetire.com will allow you to submit your credit 24/7 with a quick response from our Credit Department. Place any credit online, as well as submit any service call invoices and we will refund you 100%. If you have any questions, please contact returns@countrywidetire.com.





LOW SPEED TIRES

QUICK REFERENCE INDEX

RUBBERMASTER | SMOOTH: P607



RUBBERMASTER

PAGE 12

RUBBERMASTER | TURF: P512



RUBBERMASTER

PAGE 14

RUBBERMASTER | RIB: P301



RUBBERMASTER

PAGE 15

RUBBERMASTER | RIB: P508



RUBBERMASTER

PAGE 15

RUBBERMASTER | SAWTOOTH: P509



RUBBERMASTER

PAGE 16

DEESTONE | TURF: D265



DEESTONE

PAGE 16

RUBBERMASTER | SAWTOOTH: P606



RUBBERMASTER

PAGE 17

RUBBERMASTER | STUD: P605



RUBBERMASTER

PAGE 17

DELI TIRE | RIB: S379



PAGE 12

RUBBERMASTER | S-TURF: P332



PAGE 13



RUBBERMASTER | SMOOTH: P607



Smooth tread allows maximum contact for smooth roll and wide flotation. Round shoulder enables equipment to make sharp corners.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450041	9X3.50-4	4	9.13	3.35	0	50	352	Tubeless	1
450145	13X5.00-6	4	12.72	4.84	0	40	440	Tubeless	5
450356	18X9.50-8	4	18.03	9.06	0	20	935	Tubeless	3

DELI TIRE | RIB: S379



Ribbed tread design offers maximum contact on multiple surfaces and provides level and continuous traction.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450080	4.00-6	2	13.78	3.94	2	30	390	Tubeless	25

RUBBERMASTER | S-TURF: P332



Closed, shaped tread provides great traction, and a soft, smooth ride while the wide shoulder design helps to minimize damage to turf or lawn.



*Coming summer of 2017

Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450180	15X6.00-6	4	14.96	6.3	8	30	570	Tubeless	3
450305	16X6.50-8	4	24.02	6.5	9	28	620	Tubeless	3
450316	16X7.50-8	4	20.08	7.17	9	24	680	Tubeless	3
450325	18X8.50-8	4	17.91	8.27	9	22	815	Tubeless	3
450355	18X9.50-8	4	18.11	8.78	6	24	1040	Tubeless	3
450366	20X10.00-8	4	19.69	9.45	9	22	1190	Tubeless	2
450370	18X8.50-10	4	18.7	7.91	9	22	795	Tubeless	3
450374	20X10.00-10	4	20	9.57	10	22	1160	Tubeless	2
450390*	22X10.00-10	4	22.01	10.05	9	20	1270	Tubeless	2
450395	22X11.00-10	4	21.89	10.55	9	22	1480	Tubeless	2
450430	23X8.50-12	4	22.83	8.11	13	22	1120	Tubeless	1
450442	23X9.50-12	4	22.83	9.13	6	24	1120	Tubeless	1
450444	23X10.50-12	4	23.23	9.84	13	20	1340	Tubeless	1
450445	24X9.50-12	4	23.82	9.09	9	24	1500	Tubeless	1
450446	24X12.00-12	6	24.21	11.73	13	32	2260	Tubeless	1
450452	26X12.00-12	4	25.59	12.28	13	20	1780	Tubeless	1



RUBBERMASTER | TURF: P512



Chevron tread design developed for both driven and non-driven axles provides exceptional performance without leaving marks on the lawn.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450049	11X4.00-4	4	10.63	3.94	5	46	330	Tubeless	5
450050	11X4.00-5	4	10.63	3.98	5	46	325	Tubeless	5
450140	13X5.00-6	4	12.4	5.04	5	40	440	Tubeless	3
450155	13X6.50-6	4	12.6	5.71	6	28	480	Tubeless	3
450170	15X6.00-6	4	14.96	6.3	6	30	570	Tubeless	3
450300	16X6.50-8	4	16.34	6.57	7	28	615	Tubeless	3
450315	16X7.50-8	4	16.73	7.09	8	24	680	Tubeless	3
450318	18X6.50-8	4	17.72	7.09	6	28	770	Tubeless	3
450320	18X8.50-8	4	17.72	8.27	6	22	815	Tubeless	3
450350	18X9.50-8	4	18.11	9.25	8	24	1040	Tubeless	3
450363	20X8.00-8	4	19.69	9.41	8	22	965	Tubeless	2
450364	20X10.00-8	4	19.88	9.96	8	22	1200	Tubeless	2
450440	23X9.50-12	4	22.83	9.25	6	20	1230	Tubeless	1



RUBBERMASTER | RIB: P301



Ribbed tread design offers maximum contact on multiple surfaces and provides level and continuous traction.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450200	3.50-8	2	14.53	3.62	3	25	265	Tubeless	5
450240	4.80/4.00-8	4	16.1	4.8	3	42	670	Tubeless	3

RUBBERMASTER | RIB: P508



Straight rib tread offers optimal stability and maximum contact on a variety of surfaces for a smooth, consistent ride with level traction and roll.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450051	11X4.00-5	4	10.63	3.94	2	46	325	Tubeless	5
450150	13X5.00-6	4	12.68	4.72	4	40	440	Tubeless	3
450154	13X6.50-6	4	13.11	6.3	5	28	460	Tubeless	3
450190	15X6.00-6	4	14.96	6.3	5	30	570	Tubeless	3
450310	16X6.50-8	4	16.14	6.5	5	28	620	Tubeless	3
450340	18X8.50-8	4	17.91	8.27	5	22	815	Tubeless	3

RUBBERMASTER | SAWTOOTH: P509



Specially designed tread adds traction, durability and stability.
Excellent for commercial, residential and golf course use.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450330	18X8.50-8	4	17.72	8.46	8	22	815	Tubeless	3

DEESTONE | TURF: D265



DEESTONE

Turf-friendly design is ideal for utility vehicles and golf carts. Square shoulder provides maximum traction and weight distribution.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450025	4.10/3.50-4	4	10.83	3.74	5	50	350	Tubeless	10
450450	26X12.00-12	6	25.8	12.2	9	20	1760	Tubeless	3

RUBBERMASTER | SAWTOOTH: P606



Continuous circumferential saw-tooth tread design combines traction with excellent straight-line stability.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450011	2.80/2.50-4	4	8.74	2.83	4	50	296	Tubeless	5
450031	4.10/3.50-4	4	10.83	3.9	5	50	350	Tubeless	5
450071	4.10/3.50-5	4	11.81	3.9	5	50	380	Tubeless	5
450101	4.10/3.50-6	4	12.8	3.9	5	50	445	Tubeless	3

RUBBERMASTER | STUD: P605



Offset diamond tread design is ideal for balanced traction in both loose and hard-packed terrains.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
450021	4.10/3.50-4	4	10.83	3.9	5	50	350	Tubeless	5
450061	4.10/3.50-5	4	11.81	3.9	6	50	380	Tubeless	5
450089	4.10/3.50-6	4	12.8	3.9	6	50	445	Tubeless	3
450273	4.80/4.00-8	4	16.54	4.72	6	42	670	Tubeless	3

TRAILER TIRES

QUICK REFERENCE INDEX

RUBBERMASTER | P819



PAGE 19

RUBBERMASTER | P811



PAGE 19

RUBBERMASTER | RM76



PAGE 20

RUBBERMASTER | RM86



PAGE 21

RUBBERMASTER | H187



PAGE 21

RUBBERMASTER | P815



PAGE 22

DEESTONE | D902



PAGE 23

DEESTONE | D902



PAGE 23

RUBBERMASTER | P819



High Speed Trailer Tire

Five continuous circumferential ribs are wear-resistant and applicable to any road and all weather conditions.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
488900	4.80-8	4	16.14	4.72	6	60	590	Tubeless	5
488920	4.80-8	6	16.14	4.72	6	90	745	Tubeless	5

RUBBERMASTER | P811



High Speed Trailer Tire

Five continuous circumferential ribs offer excellent straight-line stability, resist irregular treadwear and provide level, continued traction.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
488942	5.70-8	4	18.11	6.1	7	50	715	Tubeless	5
488952	5.70-8	6	18.11	6.1	7	75	910	Tubeless	5
488955	5.70-8	8	18.11	6.1	7	100	1075	Tubeless	5
489142	4.80-12	4	20.47	4.65	6	60	785	Tubeless	5
489150	4.80-12	6	20.47	4.65	6	90	990	Tubeless	5
489162	5.30-12	4	21.46	5.47	9	55	840	Tubeless	5
489172	5.30-12	6	21.46	5.47	9	80	1050	Tubeless	5

RUBBERMASTER | RM76



ST Radial Trailer Tire

Full nylon cap ply and improved belt-edge package offer increased durability. Dual steel belts provide tire reinforcement and double polyester body plies increase strength.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.) Single/Dual	Tire Type	Bundle Quantity
470175	ST175/80R13	6	24.02	6.97	10	50	1360/1200	Tubeless	1
470185	ST185/80R13	6	24.64	7.24	10	50	1480/1280	Tubeless	1
470205	ST205/75R14	6	26.14	7.99	10	50	1760/1570	Tubeless	1
470210	ST205/75R14	8	26.14	7.99	10	65	2040/1820	Tubeless	1
470215	ST215/75R14	6	26.69	8.5	10	50	1870/1650	Tubeless	1
470220	ST205/75R15	6	27.13	7.99	10	50	1820/1610	Tubeless	1
470225	ST205/75R15	8	27.13	7.99	10	65	2150/1870	Tubeless	1
470230	ST225/75R15	8	28.31	8.78	10	65	2540/2200	Tubeless	1
470235	ST225/75R15	10	28.31	8.78	10	80	2830/2470	Tubeless	1
470240	ST235/80R16	10	30.79	9.25	10	80	3520/3080	Tubeless	1
470243	ST235/80R16	12	30.79	9.25	10	80	3960/3640	Tubeless	1
470245	ST235/85R16	10	31.73	9.25	10	80	3640/3200	Tubeless	1
470250	ST235/85R16	14	31.73	9.25	10	110	4400/3860	Tubeless	1



RUBBERMASTER | RM86



All Steel Trailer Tire

A shallow tread design produces better stability and longer tread life. While the 14 ply steel belted construction and steel tread protection provides terrific strength to carry a heavy load. A continuous tread plane and a modern tread compound improves fuel consumption and creates a smoother ride.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.) Single/Dual	Tire Type	Bundle Quantity
490235	ST235/85R16	14	31.73	9.25	10	110	4400/3860	Tubeless	1

RUBBERMASTER | H187



High Speed Trailer Tire

High-intensity matrix design offers long tread life on all roads and in all weather conditions.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.) Single/Dual	Tire Type	Bundle Quantity
489200	A78-13 (ST165/80D13)	6	24.02	6.61	10	50	1230/1070	Tubeless	1
489202	B78-13 (ST175/80D13)	6	24.02	6.97	10	50	1360/1200	Tubeless	1
489206	C78-13 (ST185/80D13)	6	24.65	7.24	10	50	1480/1280	Tubeless	1
489222	F78-14 (ST205/75D14)	6	26.14	7.99	10	50	1760/1570	Tubeless	1
489228	G78-14 (ST215/75D14)	6	26.69	8.27	11	50	1870/1650	Tubeless	1
489291	F78-15 (ST205/75D15)	6	27.13	7.87	11	50	1820/1610	Tubeless	1
489297	H78-15 (ST225/75D15)	8	28.31	8.27	12	65	2540/2200	Tubeless	1

RUBBERMASTER | P815



High Speed Trailer Tire

Low-profile tire designed to improve handling and enhance the ride quality characteristics of the trailer.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
488992	16.5X6.5-8	6	16.34	6.89	6	70	785	Tubeless	1
489000	18.5X8.50-8	4	18.9	8.39	9	35	770	Tubeless	1
489020	18.5X8.50-8	6	18.9	8.39	9	50	940	Tubeless	1
489082	20.5X8.0-10	6	20.47	8.07	9	50	1105	Tubeless	1
489092	20.5X8.0-10	8	20.47	8.07	9	70	1330	Tubeless	1
489102	20.5X8.0-10	10	20.47	8.07	9	90	1535	Tubeless	1



DEESTONE | D902



DEESTONE

Light Truck Tire – for trailer use only

Ribbed tread design, combined with anti-cracking technology and a strong tire body design, provides wear-resistance and fast heat dissipation.



Item Number	Specific Tread Code	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.) Single/Dual	Tire Type	Bundle Quantity
537650	D902-3	8.75-16.5	10	30.16	9.09	14	80	2680/2405	Tubeless	1
537670	D902-1	9.50-16.5	10	31.1	9.72	14	80	3195/2835	Tubeless	1

DEESTONE | D902



DEESTONE

Low Platform Trailer Tire

Nylon cord construction is used to produce an economically priced rib-style tire.



Item Number	Specific Tread Code	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
507145	D902-2	7-14.5	8	24.33	7.72	9	70	1870	Tubeless	1
508145	D902-1	8-14.5	12	27.80	7.99	10	100	2790	Tubeless	1
509145	D902-1	9-14.5	12	28.19	9.13	11	100	3230	Tubeless	1

ALL TERRAIN VEHICLE TIRES

QUICK REFERENCE INDEX

GBC | AFTERBURN



PAGE 26

GBC | DIRT DEVIL: X/T



PAGE 29

GBC | DIRT TAMER



PAGE 30

GBC | SPARTACUS



PAGE 30

GBC | GRIM REAPER



PAGE 31

GBC | XC-MASTER



PAGE 32

DEESTONE | KNOBBY: D929



PAGE 33

DEESTONE | SWAMP WITCH: D932



PAGE 33

GBC | AFTERBURN STREET FORCE



PAGE 26

GBC | DIRT COMMANDER



PAGE 27

GBC | DIRT DEVIL A/T



PAGE 28

GBC | KANATI MONGREL



PAGE 29



GBC | AFTERBURN



Front

Rear



This high-performance radial ATV tire delivers uncompromised traction in both mixed and hard-packed terrains. Its unique and aggressive tread design promotes superior straight-line and high-speed cornering capabilities, and its radial carcass construction also provides a smooth ride.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
542005	Front	25X8.00R12	6	25.2	8.3	18	7	340	Tubeless
542015	Front	26X8.00R12	6	25.9	8.3	18	7	460	Tubeless
542010	Rear	25X10.00R12	6	25.4	9.9	18	7	420	Tubeless

GBC | AFTERBURN STREET FORCE



This tire is designed for street application only and is both DOT & ECE (European e-mark) approved. It features aggressive directional siped tread, great for wet and dry traction, and is speed rated at 87 mph.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
542250	Front/Rear	25X8.00R12	4	25.1	8.1	10	15	500	Tubeless

GBC | DIRT COMMANDER



This all-terrain tire is a super-tough 8-ply rated bias tire that offers excellent puncture resistance. Its spiked tread design provides additional biting edges for better traction in all terrains.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
542500	Front/Rear	25X8.00-12	8	25.2	8.3	28	7 to 12	340 to 480	Tubeless
542505	Front/Rear	25X10.00-12	8	25.2	9.9	28	7 to 12	420 to 580	Tubeless
542510	Front/Rear	26X9.00-12	8	26	9	28	7 to 12	410 to 570	Tubeless
542515	Front/Rear	26X11.00-12	8	26	10.5	28	7 to 12	750 to 920	Tubeless
542520	Front/Rear	27X9.00-12	8	27.3	8.5	27	7 to 12	750 to 920	Tubeless
542525	Front/Rear	27X11.00-12	8	27.3	10.5	25	7 to 12	780 to 960	Tubeless
542530	Front/Rear	26X9.00-14	8	26	9	28	7 to 14	700 to 1000	Tubeless
542535	Front/Rear	26X11.00-14	8	26	10.5	28	7 to 14	730 to 1045	Tubeless
542540	Front/Rear	27X9.00-14	8	27	9	28	7 to 14	750 to 1075	Tubeless
542545	Front/Rear	27X11.00-14	8	27	10.5	28	7 to 14	780 to 1120	Tubeless



GBC | DIRT DEVIL: A/T



Front

Rear



This tire offers exceptional traction in dirt, gravel, mud, hard pack, wet and sandy terrains at both low and high speeds. The premium rubber compound and computer-generated tread design, along with deep, reinforced and dimpled lugs, combine to create a tire that is perfect for hunting, fishing, farming or recreation.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
543015	Front	22X8.00-10	6	21.9	8	20	7	275	Tubeless
543025	Front	23X8.00-10	6	23.4	8.3	20	7	300	Tubeless
543040	Front	23X8.00-11	6	23.4	7.6	20	7	290	Tubeless
543045	Front	24X8.00-11	6	24	8.1	20	7	320	Tubeless
543050	Front	24X9.00-11	6	23.8	8.6	20	7	365	Tubeless
543060	Front	25X8.00-11	6	25.1	8.1	20	7	355	Tubeless
543070	Front	25X8.00-12	6	25.2	8.3	20	7	340	Tubeless
543000	Rear	22X11.00-8	6	22.3	10.9	20	7	395	Tubeless
543005	Rear	22X11.00-9	6	22.5	10.8	20	7	395	Tubeless
543010	Rear	25X12.00-9	6	25.2	11.6	20	7	496	Tubeless
543020	Rear	22X11.00-10	6	22.2	10.7	20	7	385	Tubeless
543030	Rear	23X10.00-10	6	23.4	10.2	20	7	375	Tubeless
543035	Rear	24X11.00-10	6	24	11.1	20	7	440	Tubeless
543055	Rear	24X10.00-11	6	24.2	10.1	20	7	395	Tubeless
543065	Rear	25X10.00-11	6	25.2	10	20	7	430	Tubeless
543075	Rear	25X10.00-12	6	25.4	9.9	20	7	420	Tubeless



GBC | DIRT DEVIL: X/T



This tire offers exceptional traction in dirt, gravel, mud, hard pack, wet and sandy terrains at both low and high speeds. The premium rubber compound and computer-generated tread design, along with deep, reinforced and dimpled lugs, combine to create a tire that is perfect for hunting, fishing, farming or recreation.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
543080	Front/Rear	26X10.00-12	6	25.9	9	39	7	460	Tubeless
543082	Front/Rear	26X12.00-12	6	25.9	11.4	39	7	520	Tubeless

GBC | KANATI MONGREL



This is the first true all-purpose DOT tire built specifically for side-by-side UTVs. This tire's tread is optimized for peak performance on multiple surfaces. It can handle a variety of off-road terrain while remaining equally safe and suitable for use on paved surfaces. The 8-ply DOT approved radial boasts a 600 lbs. load rating and an equally impressive 87 MPH "N" speed rating.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
545000	Front/Rear	AT26X10R12	8	26	10	21	14	600	Tubeless
545010	Front/Rear	AT30X10R14	8	30	10	19	14	600	Tubeless

GBC | DIRT TAMER



This all-terrain, utility tire is designed for the rider who needs size, strength and an aggressive tread design. It is available in six sizes that fit a variety of utility vehicles. The 6-ply rated construction offers extra strength and durability in the toughest conditions and the deep, heavy tread design provides excellent traction in many different types of terrain.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
543500	Front/Rear	25X8.00-12	6	25	8	28	7	340	Tubeless
543505	Front/Rear	25X9.00-12	6	25	8.7	28	7	385	Tubeless
543510	Front/Rear	26X9.00-12	6	26	9	28	7	410	Tubeless
543515	Front/Rear	26X12.00-12	6	26	10	28	7	520	Tubeless
543520	Front/Rear	27X9.00-12	6	27	9	28	7	440	Tubeless
543525	Front/Rear	27X12.00-12	6	27	10	28	7	550	Tubeless

GBC | SPARTACUS



This performance ATV tire is specifically designed to conquer mud and other tough terrains. Its aggressive tread design delivers superior traction while the radial 8-ply rated carcass construction puts more rubber on the ground for a larger footprint and a smoother, more comfortable ride.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
545500	Front/Rear	25X8.00R12	8	25	8.3	28	7 to 12	340 to 480	Tubeless
545505	Front/Rear	25X10.00R12	8	25	10	28	7 to 12	420 to 580	Tubeless
545510	Front/Rear	26X10.00R12	8	26	10	28	7 to 12	440 to 595	Tubeless
545515	Front/Rear	26X12.00R12	8	26	12	28	7 to 12	520 to 735	Tubeless
545520	Front/Rear	26X9.00R14	8	26	9.3	30	7 to 14	700 to 1000	Tubeless
545525	Front/Rear	26X11.00R14	8	26	11.6	30	7 to 14	730 to 1045	Tubeless



This tire combines an aggressive tread pattern with deep wrap-around shoulder lugs to provide uncompromising performance and traction. This 8-ply rated all-terrain radial is constructed with a zig-zag center ridge-line for superior puncture resistance and enhanced rider comfort.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
544500	Front/Rear	25X8.00R12	8	25	8.5	30	7 to 12	340 to 480	Tubeless
544505	Front/Rear	25X10.00R12	8	25.3	9.5	28	7 to 12	420 to 580	Tubeless
544510	Front/Rear	26X10.00R12	8	25.98	8.9	28	7 to 12	440 to 595	Tubeless
544515	Front/Rear	26X12.00R12	8	25.98	11.1	28	7 to 12	520 to 735	Tubeless
544520	Front/Rear	26X9.00R14	8	25.98	8.1	30	7 to 14	700 to 1000	Tubeless
544525	Front/Rear	26X11.00R14	8	25.98	10.7	30	7 to 14	730 to 1045	Tubeless
544530	Front/Rear	27X9.00R14	8	27.3	8.5	30	7 to 14	750 to 1075	Tubeless
544535	Front/Rear	27X11.00R14	8	27.3	10.8	30	7 to 14	780 to 1120	Tubeless



GBC | XC-MASTER



Based on the X-Rex, this tire has a newly reinforced bead that provides a better seal and improved durability. It features a reshaped profile to improve steering and control. Additionally, new rubber compounds offer better traction and puncture-resistance.

Front

Rear



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
546015	Front	21X7.00-10	6	21.3	7	15	7	235	Tubeless
546017	Front	22X7.00-10	6	22	6.9	15	7	255	Tubeless
546025	Front	23X7.00-10	6	23	7	15	7	275	Tubeless
546000	Rear	20X11.00-9	6	20	11	15	7	341	Tubeless
546005	Rear	22X11.00-9	6	22	11.2	6	7	370	Tubeless
546010	Rear	20X11.00-10	6	20	10.8	15	5	330	Tubeless
546020	Rear	22X11.00-10	6	22.4	10.8	15	7	370	Tubeless



DEESTONE | KNOBBY: D929



DEESTONE

This tire comes with a staggered knobby tread design and excellent all-around performance. Common sizes and quality construction make this a dependable option.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
549342	Front/Rear	22X11-8	4	22.32	9.41	15	5	330	Tubeless
549452	Front/Rear	25X12-9	4	23.78	10.59	17	5	430	Tubeless

DEESTONE | SWAMP WITCH: D932



DEESTONE

This tire offers heavy-duty construction, deep lug and excellent side-load capability. This 6-ply rated ATV tire is an excellent option for larger ATVs and UTV side-by-sides.



Item Number	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
549500	Front/Rear	25X8-12	6	25.08	8.82	28	7	340	Tubeless
549505	Front/Rear	25X10-12	6	25	9.8	28	7	420	Tubeless



AGRICULTURAL
TIRES
QUICK REFERENCE INDEX



DEESTONE | BAR LUG: D405



DEESTONE

PAGE **35**

RUBBERMASTER | RIB: QH641



RUBBERMASTER

PAGE **35**

DEESTONE | BAR LUG: D407



DEESTONE

PAGE **36**

DELI TIRE | BAR LUG: S247



DELI TIRE

PAGE **37**

DEESTONE | RIB: D401



DEESTONE

PAGE **37**



DEESTONE | BAR LUG: D405



DEESTONE

Super lug design offers maximum traction for small trenchers and other lawn and garden equipment.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
550010	23X8.50-12	6	23	8.2	16	34	1445	Tubeless	1
550040	23X10.50-12	6	23	9.3	19	32	1760	Tubeless	1



RUBBERMASTER | RIB: QH641

RUBBERMASTER

45% more rubber content for increased durability against punctures. Four nylon cords in 8-10 ply tires and added breaker strip in 12 ply tires for increased tread life.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
550500	760L-15	8	28.9	7.6	10	52	2090	Tubeless	1
550550	9.5L-14	8	29.2	9.5	10	44	2400	Tubeless	1
550560	9.5L-15	8	30.7	9.4	10	44	2470	Tubeless	1
550600	11L-14	8	29.5	11	10	36	2470	Tubeless	1
550625	11L-15	8	31.9	11	10	36	2540	Tubeless	1
550650	11L-16	8	32.9	11	10	36	2680	Tubeless	1
550700	12.5L-15	12	32.4	12.5	10	36	2680	Tubeless	1

DEESTONE | BAR LUG: D407



DEESTONE

Large contact area offers the best traction for small trenchers and other lawn and garden equipment.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
550074	16X6.50-8	4	15.6	6.5	12	28	620	Tubeless	3



DELI | BAR LUG: S247



Deli Tire

Sets the standard for maximum durability and optimal flotation. Beveled deck area between bar lugs ensures exceptional tread cleaning, maximum traction and stability in the softest soils.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
550075	4.80/4.00-8	4	16.22	4.53	11	30	340	Tubeless	5

DEESTONE | RIB: D401



DEESTONE

Three rib steer tire provides improved steering and good flotation, and the center and shoulder ribs provide even load distribution for better wear.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
550090	3.50-6	4	13.5	3.9	10	30	363	Tube	5



DEESTONE | INDUSTRIAL LUG: D301



DEESTONE

A premium service tire for applications including material handling, construction and mining. Large tread blocks provide long, even wear.



Item Number	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type	Bundle Quantity
579562	5.00-8	8	20.83	6.18	16	125	3715	Tire w/Flap	1
579582	6.90/6.00-9	10	20.83	6.18	18	125	3715	Tire w/Flap	1
579602	6.50-10	10	23.74	7.17	20	115	4225	Tire w/Flap	1
579611	7.50-10	12	26.26	8.27	23	120	5655	Tire w/Flap	1
579622	7.00-12	12	26.69	7.4	23	125	5995	Tire w/Flap	1
579631	7.00-15	12	30.67	8.07	23	125	6940	Tire w/Flap	1
579650	28X9-15 (8.15-15)	14	28.86	8.66	25	125	6880	Tire w/Flap	1
579663	8.25-15	14	33.7	9.37	23	120	9385	Tire w/Flap	1





STEELMASTER | STAMPED



PAGE 41

STEELMASTER | EIGHT SPOKE



PAGE 42

STEELMASTER | MODULAR



PAGE 43

SteelMaster Wheel Box:

All SteelMaster™ wheels are individually packaged to protect from damage in shipping and handling. They are also packaged for retail sale in a branded color box that guides the shopper in choosing the right product, helping to simplify retail sales and reduce returns. This item is available not boxed as well.



STEELMASTER | STAMPED



High-quality steel wheel meets DOT specifications.
Individually packaged in color box for retail sale.



*Valve sold separately on Not Boxed Wheels

Boxed Item Number	Not Boxed Item Number	Type	Size	Bolt Pattern	Center Bore	Max Load (lbs.)	Suggested Tire Size	Backspace	Valve*	Box Quantity
600400	601400	Stamped	8X3.75	4 on 4	2.812	900	4.8-8, 5.7-8	2.375	TR412	1
600475	601475	Stamped	8X3.75	5 on 4.5	2.812	1075	4.8-8, 5.7-8	2.375	TR412	1
600460	601460	Stamped	8X5.375	4 on 4	2.812	900	18.5X6.5-8	3.9375	TR412	1
600477	601477	Stamped	8X5.375	5 on 4.5	2.812	900	18.5X6.5-8	3.9375	TR412	1
600470	601470	Stamped	8X7	4 on 4	2.5	950	18.5X8.50, 9.5-8	4	TR412	1
600473	601473	Stamped	8X7	5 on 4.5	2.812	950	18.5X8.50, 9.5-8	4	TR412	1
600480	601480	Stamped	10X6	4 on 4	2.5	1330	20.5X8.0-10	3.5	TR412	1
600490	601490	Stamped	10X6	5 on 4.5	2.812	1800	20.5X8.0-10	3.5	TR412	1



STEELMASTER | EIGHT SPOKE



High-quality steel wheel with red and blue pinstripe accent meets DOT specifications. Individually packaged in color box for retail sale.



*Valve sold separately on Not Boxed Wheels

Boxed Item Number	Not Boxed Item Number	Type	Size	Bolt Pattern	Center Bore	Max Load (lbs.)	Suggested Tire Size	Backspace	Valve*	Box Quantity
600530	601530	Eight Spoke	12X4	4 on 4	2.82	1220	4.80-12, 5.30-12	2.375	TR413	1
600550	601550	Eight Spoke	12X4	5 on 4.5	2.95	1220	4.80-12, 5.30-12	2.375	TR413	1
600570	601570	Eight Spoke	13X4.5	4 on 4	2.82	1660	B78-13	2.625	TR413	1
600600	601600	Eight Spoke	13X4.5	5 on 4.5	3.3	1660	B78-13	2.625	TR413	1
600650	601650	Eight Spoke	14X6	5 on 4.5	3.3	1870	F78-14	3.5	TR413	1
600700	601700	Eight Spoke	15X6	5 on 4.5	3.3	2850	F78-15, H78-15	3.5	TR413	1
600725	601725	Eight Spoke	15X6	5 on 5	3.3	2850	F78-15, H78-15	3.5	TR413	1
600750	601750	Eight Spoke	15X6	6 on 5.5	4.29	2850	F78-15, H78-15	3.5	TR413	1
600795	601795	Eight Spoke	16X6	6 on 5.5	4.29	3760	235/80R16, 7.50-16	3.5	TR600HP	1
600800	601800	Eight Spoke	16X6	8 on 6.5	5.15	3760	235/80R16, 7.50-16	3.5	TR600HP	1



STEELMASTER | MODULAR



High-quality steel wheel with red and blue pinstripe accent meets DOT specifications. Individually packaged in color box for retail sale.



*Valve sold separately on Not Boxed Wheels

Boxed Item Number	Not Boxed Item Number	Type	Size	Bolt Pattern	Center Bore	Max Load (lbs.)	Suggested Tire Size	Backspace	Valve*	Box Quantity
600900	601900	Modular	12X4	4 on 4	2.82	1220	4.80-12, 5.30-12	2.375	TR413	1
600910	601910	Modular	12X4	5 on 4.5	2.95	1220	4.80-12, 5.30-12	2.375	TR413	1
600920	601920	Modular	13X4.5	4 on 4	2.82	1660	B78-13	2.625	TR413	1
600930	601930	Modular	13X4.5	5 on 4.5	3.3	1660	B78-13	2.625	TR413	1
600940	601940	Modular	14X6	5 on 4.5	3.3	1870	F78-14	3.5	TR413	1
600950	601950	Modular	15X6	5 on 4.5	3.3	2850	F78-15, H78-15	3.5	TR413	1
600960	601960	Modular	15X6	5 on 5	3.3	2850	F78-15, H78-15	3.5	TR413	1
600970	601970	Modular	15X6	6 on 5.5	4.29	2850	F78-15, H78-15	3.5	TR413	1
600980	601980	Modular	16X6	6 on 5.5	4.29	3760	235/80R16, 7.50-16	3.5	TR600HP	1
600990	601990	Modular	16X6	8 on 6.5	5.15	3760	235/80R16, 7.50-16	3.5	TR600HP	1





CUSTOM TIRE & WHEEL ASSEMBLIES



Each RubberMaster custom assembly is mounted on quality SteelMaster wheels in stamped, eight spoke or modular design.
No assembly fee.



Item Number	Tire Size	Ply	Wheel Type	Wheel Size	Bolt Pattern	Valve
598904	4.80-8	4	Stamped	8X3.75	4 on 4	TR412
598905	4.80-8	4	Stamped	8X3.75	5 on 4.5	TR412
598924	4.80-8	6	Stamped	8X3.75	4 on 4	TR416S Bolt In
598925	4.80-8	6	Stamped	8X3.75	5 on 4.5	TR416S Bolt In
598944	5.70-8	4	Stamped	8X3.75	4 on 4	TR412
598945	5.70-8	4	Stamped	8X3.75	5 on 4.5	TR412
598954	5.70-8	6	Stamped	8X3.75	4 on 4	TR600HP
598955	5.70-8	6	Stamped	8X3.75	5 on 4.5	TR600HP
598956	5.70-8	8	Stamped	8X3.75	4 on 4	TR416S Bolt In
598957	5.70-8	8	Stamped	8X3.75	5 on 4.5	TR416S Bolt In
598970	16X6.50-8 Turf	4	Stamped	8X5.375	4 on 4	TR412
598994	16.5X6.5-8	6	Stamped	8X5.375	4 on 4	TR600HP
598995	16.5X6.5-8	6	Stamped	8X5.375	5 on 4.5	TR600HP
599000	18X8.50-8 Saw	4	Stamped	8X7	4 on 4	TR412
599001	18X8.50-8 Saw	4	Stamped	8X7	5 on 4.5	TR412
599002	18X8.50-8 Turf	4	Stamped	8X7	4 on 4	TR412
599004	18.5X8.50-8	4	Stamped	8X7	4 on 4	TR412
599005	18.5X8.50-8	4	Stamped	8X7	5 on 4.5	TR412
599024	18.5X8.50-8	6	Stamped	8X7	4 on 4	TR412
599025	18.5X8.50-8	6	Stamped	8X7	5 on 4.5	TR412
599084	20.5X8-10	6	Stamped	10X6	4 on 4	TR412
599085	20.5X8-10	6	Stamped	10X6	5 on 4.5	TR412
599094	20.5X8-10	8	Stamped	10X6	4 on 4	TR600HP
599095	20.5X8-10	8	Stamped	10X6	5 on 4.5	TR600HP
599105	20.5X8-10	10	Stamped	10X6	5 on 4.5	TR416S Bolt In
599144	4.80-12	4	Eight Spoke	12X4	4 on 4	TR413
599145	4.80-12	4	Eight Spoke	12X4	5 on 4.5	TR413
599154	4.80-12	6	Eight Spoke	12X4	4 on 4	TR416S Bolt In
599155	4.80-12	6	Eight Spoke	12X4	5 on 4.5	TR416S Bolt In
599164	5.30-12	4	Eight Spoke	12X4	4 on 4	TR413
599165	5.30-12	4	Eight Spoke	12X4	5 on 4.5	TR413

CUSTOM TIRE & WHEEL ASSEMBLIES

Item Number	Tire Size	Ply	Wheel Type	Wheel Size	Bolt Pattern	Valve
599174	5.30-12	6	Eight Spoke	12X4	4 on 4	TR600HP
599175	5.30-12	6	Eight Spoke	12X4	5 on 4.5	TR600HP
599200	A78-13	6	Eight Spoke	13X4.5	4 on 4	TR413
599201	A78-13	6	Eight Spoke	13X4.5	5 on 4.5	TR413
599204	B78-13	6	Eight Spoke	13X4.5	4 on 4	TR413
599205	B78-13	6	Eight Spoke	13X4.5	5 on 4.5	TR413
599208	C78-13	6	Eight Spoke	13X4.5	4 on 4	TR413
599209	C78-13	6	Eight Spoke	13X4.5	5 on 4.5	TR413
599225	F78-14	6	Eight Spoke	14X6	5 on 4.5	TR413
599295	F78-15	6	Eight Spoke	15X6	5 on 4.5	TR413
599296	F78-15	6	Eight Spoke	15X6	6 on 5.5	TR413
599297	F78-15	6	Eight Spoke	15X6	5 on 5	TR413
599235	G78-14	6	Eight Spoke	14X6	5 on 4.5	TR413
599315	H78-15	8	Eight Spoke	15X6	5 on 4.5	TR600HP
599316	H78-15	8	Eight Spoke	15X6	6 on 5.5	TR600HP
599317	H78-15	8	Eight Spoke	15X6	5 on 5	TR600HP
599325	ST175/80R13	6	Eight Spoke	13X4.5	4 on 4	TR413
599326	ST175/80R13	6	Eight Spoke	13X4.5	5 on 4.5	TR413
599349	ST185/80R13	6	Eight Spoke	13X4.5	4 on 4	TR413
599350	ST185/80R13	6	Eight Spoke	13X4.5	5 on 4.5	TR413
599327	ST205/75R14	6	Eight Spoke	14X6	5 on 4.5	TR413
599328	ST215/75R14	6	Eight Spoke	14X6	5 on 4.5	TR413
599329	ST205/75R15	6	Eight Spoke	15X6	5 on 4.5	TR413
599330	ST205/75R15	6	Eight Spoke	15X6	5 on 5	TR413
599331	ST205/75R15	6	Eight Spoke	15X6	6 on 5.5	TR413
599337	ST205/75R15	8	Eight Spoke	15X6	5 on 4.5	TR600HP
599338	ST205/75R15	8	Eight Spoke	15X6	5 on 5	TR600HP
599339	ST205/75R15	8	Eight Spoke	15X6	6 on 5.5	TR600HP
599332	ST225/75R15	8	Eight Spoke	15X6	5 on 4.5	TR600HP
599333	ST225/75R15	8	Eight Spoke	15X6	5 on 5	TR600HP
599334	ST225/75R15	8	Eight Spoke	15X6	6 on 5.5	TR600HP
599345	ST225/75R15	10	Eight Spoke	15X6	6 on 5.5	TR600HP
599335	ST235/80R16	10	Eight Spoke	16X6	6 on 5.5	TR600HP
599336	ST235/80R16	10	Eight Spoke	16X6	8 on 6.5	TR600HP
599580	ST235/85R16	10	Eight Spoke	16X6	8 on 6.5	TR600HP
599400	4.80-12	4	Modular	12X4	4 on 4	TR413
599405	4.80-12	4	Modular	12X4	5 on 4.5	TR413
599410	4.80-12	6	Modular	12X4	4 on 4	TR416S Bolt In

CUSTOM TIRE & WHEEL ASSEMBLIES

Item Number	Tire Size	Ply	Wheel Type	Wheel Size	Bolt Pattern	Valve
599415	4.80-12	6	Modular	12X4	5 on 4.5	TR416S Bolt In
599420	5.30-12	4	Modular	12X4	4 on 4	TR413
599425	5.30-12	4	Modular	12X4	5 on 4.5	TR600HP
599430	5.30-12	6	Modular	12X4	4 on 4	TR600HP
599435	5.30-12	6	Modular	12X4	5 on 4.5	TR600HP
599440	A78-13	6	Modular	13X4.5	4 on 4	TR413
599445	A78-13	6	Modular	13X4.5	5 on 4.5	TR413
599450	B78-13	6	Modular	13X4.5	4 on 4	TR413
599455	B78-13	6	Modular	13X4.5	5 on 4.5	TR413
599460	C78-13	6	Modular	13X4.5	4 on 4	TR413
599465	C78-13	6	Modular	13X4.5	5 on 4.5	TR413
599470	F78-14	6	Modular	14X6	5 on 4.5	TR413
599480	F78-15	6	Modular	15X6	5 on 4.5	TR413
599485	F78-15	6	Modular	15X6	6 on 5.5	TR413
599490	F78-15	6	Modular	15X6	5 on 5	TR413
599475	G78-14	6	Modular	14X6	5 on 4.5	TR413
599495	H78-15	8	Modular	15X6	5 on 4.5	TR600HP
599500	H78-15	8	Modular	15X6	6 on 5.5	TR600HP
599505	H78-15	8	Modular	15X6	5 on 5	TR600HP
599520	ST175/80R13	6	Modular	13X4.5	4 on 4	TR413
599525	ST175/80R13	6	Modular	13X4.5	5 on 4.5	TR413
599351	ST185/80R13	6	Modular	13X4.5	4 on 4	TR413
599352	ST185/80R13	6	Modular	13X4.5	5 on 4.5	TR413
599530	ST205/75R14	6	Modular	14X6	5 on 4.5	TR413
599535	ST215/75R14	6	Modular	14X6	5 on 4.5	TR413
599340	ST205/75R15	8	Modular	15X6	5 on 4.5	TR600HP
599341	ST205/75R15	8	Modular	15X6	5 on 5	TR600HP
599342	ST205/75R15	8	Modular	15X6	6 on 5.5	TR600HP
599540	ST205/75R15	6	Modular	15X6	5 on 4.5	TR413
599545	ST205/75R15	6	Modular	15X6	5 on 5	TR413
599550	ST205/75R15	6	Modular	15X6	6 on 5.5	TR413
599348	ST225/75R15	10	Modular	15X6	6 on 5.5	TR600HP
599555	ST225/75R15	8	Modular	15X6	5 on 4.5	TR600HP
599560	ST225/75R15	8	Modular	15X6	5 on 5	TR600HP
599565	ST225/75R15	8	Modular	15X6	6 on 5.5	TR600HP
599570	ST235/80R16	10	Modular	16X6	6 on 5.5	TR600HP
599575	ST235/80R16	10	Modular	16X6	8 on 6.5	TR600HP
599581	ST235/85R16	10	Modular	16X6	8 on 6.5	TR600HP

INNER TUBES

QUICK REFERENCE INDEX



INDIVIDUALLY BOXED



PAGE 50

PASSENGER



PAGE 51

LIGHT TRUCK



PAGE 52

TUBELESS TRUCK



PAGE 52

TRUCK & BUS



PAGE 53

OFF THE ROAD (OTR)



PAGE 53

INDUSTRIAL



PAGE 54

IMPLEMENT



PAGE 55

ALL TERRAIN VEHICLE (ATV/UTV)



PAGE 55

TRACTOR



PAGE 56

LOW PLATFORM TRAILER



PAGE 57

EXTREME SERVICE



PAGE 57

INNER TUBE AND FLAP PACKAGING



Standard Inner Tube Box:

Our standard inner tube packaging option



Half Box:

Our medium-sized inner tube packaging option



3/4 Box:

Our 3/4 inner tube packaging option

Standard Inner Tube Box, Half Box, 3/4 Box

- Inner tubes are packaged in a labeled corrugated box secured with yellow safety straps
- Size, valve & quantity per box are displayed on the outside of the box
- Inner tubes are wrapped individually in plastic bags within every box



Flap Box:

- Flaps are packaged in a labeled corrugated box secured with yellow security straps
- Size & quantity per box are displayed on the outside of the box

Box Quantities Per Pallet	
Box Type	Quantity
Standard Inner Tube Box	40
3/4 Box	64
Half Box	80
Flap Box	25

Rebox:

Our smallest inner tube packaging option

- Inner tubes are packaged in a labeled corrugated box
- Company Logo, Item Number, size & quantity are displayed on small label
- Ideal for smaller warehouses
- Retail shelf ready
- Rebox quantities per pallet range depending on the size of reboxed packaging

INDIVIDUALLY BOXED INNER TUBES

	Item Number	Size	Valve	Box Quantity
PASSENGER	2035	FR12	TR13	10
	2040	FR13/14	TR13	10
	2045	FR15	TR13	10
	2050	GR13/14/15	TR13	10
	2055	KR14/15	TR13	10
	2060	MR14/15	TR13	10
	2065	K16L/GR/KR16	TR13	10
	2068	MR16/MRL16	TR135	10
TRUCK	2105	700/750/215/235/245/75/85R16	TR15CW	10
	2110	700/750/215/235/245/75/85R16	TR150A	10
	2205	800/875R16.5	TR15CW	10
	2210	9.5/10R16.5	TR15CW	6
	2215	12R16.5	TR15CW	4
ATV	2410	18X8.50/9.50R8, 22X11R8, 21X12R8	TR6	10
	2420	25X12/13.50R9	TR6	6
	2425	20X8R10, 21X8/7R10, 22X7R10	TR6	10
INDUSTRIAL	2500	4.10/3.50-4	TR87	10
	2501	4.10/3.50-4	TR13	10
	2505	4.10/3.50-5	TR87	10
	2510	4.10/3.50-6	TR87	10
LAWN & GARDEN	2515	13X500-6 NHS	TR13	10
	2520	15X600-6 NHS	TR13	10
	2524	350-8	TR13	10
	2525	480/400-8	TR13	10
	2530	16X650/750-8	TR13	10
	2535	18X850/950-8	TR13	10
	2540	20X8-10	TR13	10
	2545	23X850/950/1050-12	TR13	10
AGRICULTURAL	2549	26X1200-12 NHS	TR13	6
	2810	7.5/9.5L-14/15 NHS	TR13	10
	2815	11L-15/16 NHS	TR15CW	6
	2820	11L/12.5L-15/16 NHS	TR15CW	6
	2835	550/600/650-16	TR15	10
	2841	1000/1100-16	TR15CW	4



Our Most Exciting Inner Tube Category!

If you have a retail store, our individual box program is a perfect fit for you. Many of our popular tube sizes are available and come packaged in individual boxes.

The durable, attractive packaging will stack great on your shelves. The individual boxes are delivered in cartons that are easy to receive and store in your warehouse.

Each individual box is color-coded to reflect the proper application of the inner tube.



PASSENGER TUBES



Item Number	Size	Valve	Box Quantity
50095	K14/15	TR13	12
50125	M14/15	TR13	10
50130	G16	TR13	12
50135	G/K16	TR13	10
50140	K16	TR13	10



Item Number	Size/Equivalent Sizes	Valve	Box Quantity
60007	ER12/13 135R12/13, 140R12/13, 145R12/13, 150R12/13, 145/70R12/13, 155/70R12/13, 165/70R13, P135/75R12/13, P145/75R12, R145/75R13, P135/80R12/13, P145/80R12/13	TR13	20
60032	GR13/14/15 175R13/14/15, 185R13/14/15, 185/70R13, 195/70R13/14/15, 170R13/15, 180R13/15, 205/70R13/15, P175/75R13/14/15, P185/75R13/14/15, P175/80R13/14/15, P185/80R13/14/15, BR78-13, CR78-13/15, DR78-13/14/15, ER78-14/15, CR70-13/15, DR70-15	TR13	14
60035	FR13/14 155R13/14, 165R13/14, 175/70R13/14, 185/70R14, 160R13/14, P155/75R13/14, P165/75R13/14, P155/80R13/14, P165/80R13/14, AR78-13/14, BR78-14, CR78-14	TR13	15
60080	FR15 155R15, 165R15, 175/70R15, 185/70R15, 160R15, P155/75R15, P165/75R15, P155/80R15, P165/80R15, AR78-15, BR8-15, BR70-15	TR13	15
60110	KR14/15 195R14/15, 205R14/15, 205/70R14/15, 215/70R14/15, P195/75R14, 225/70R15, P205/75R14/15, P195/80R14/15, P205/80R14/15, 215/75R15, 225/70R14, P215/75R14, P225/70R15, FR78-14/15, GR78-14/15, DR70-14, ER70-14/15, FR70-14/15	TR13	12
60120	MR15 215R15, 225R15, 235R15, 235/70R15, P225/75R15, P215/80R15, P225/80R15, HR78-15, JR78-15, LR78-15, GR70-15, HR7015, JR70-15, LR70-15	TR13	16
60128	MR14/15 215R14/15, 225R14/15, 235R14/15, 235/70R15, P225/75R15, P215/80R15, P225/80R15, HR78-14/15, JR78-15, LR78-15, GR70-14/15, HR70-14/15, JR70-14/15, LR70-14/15	TR13	10
60144	GR/KR16 6.00R16, 6.50R16, 175R16, 185R16, 6.70R16, 7.00R16, 7.50R16, 195R16, 205R16, 215R16	TR13	10



LIGHT TRUCK TUBES



Item Number	Size	Valve	Box Quantity
70240	700/750-16	TR150A	18



Item Number	Size	Valve	Box Quantity
80165	700/750/215/75R15	TR13	10
80170	700/750R15	TR15	10
80180	700/750R15	TR150A	10
80190	10/11/12R15	TR13	14
80195	33X12.50R15	TR13	12
80197	35X12.50R15	TR13	12
80220	700/750/215/235/245/75/85R16	TR13CW	18
80230	700/750/215/235/245/75/85R16	TR15CW	18
80234	275/70R/265/75R16	TR13	14
80235	700/750R16	TR75A	16
80240	700/750/215/235/245/75/85R16	TR150A	9
80247	900R16	TR177A	12
80250	700/750R17/18	TR75A	15



TUBELESS TRUCK TUBES



Item Number	Size	Valve	Box Quantity
90400	7/8-14.5	TR300	12
90450	950/10-16.5	TR15	16



Item Number	Size	Valve	Box Quantity
100440	800/875R16.5	TR15	12
100450	950/1000R16.5	TR15	16
100460	12R16.5	TR15CW	12
100465	12R16.5	TR218A	12
100474	14R17.5	TR218A	4
100475	14R17.5	TR300	8
100486	15R19.5	TR218A	6
100510	11/12R22.5	TR300	7
100560	15/16.5R22.5	TR70	5
100590	11/12R24.5	TR300	5



TRUCK & BUS TUBES



Item Number	Size	Valve	Box Quantity
110630	825-20	TR77A	10
110640	900-20	TR175A	9
110650	1000-20	TR78A	7



Item Number	Size	Valve	Box Quantity
120610	650/700R20	TR75A	15
120620	750R20	TR177A	14
120630	825R20	TR77A	10
120640	900R20	TR175A	9
120650	1000R20	TR78A	7
120660	1100/1380R20	TR78A	6
120670	1200/1480R20	TR78A	5
120710	1400R20	TR179A	4
120720	1600R20	TR179A	4
120730	1000R22	TR78A	6
120740	1100R22	TR78A	6
120755	11/1200R24	TR78A	5
120760	1200R24	TR78A	5
120770	13/1400R24/25	TR179A	4



OFF THE ROAD (OTR) TUBES



Item Number	Size	Valve	Box Quantity
150850	13/1400-24	TR220A	4
150862	14/15.5/17.5-24/25	TRJ1175C	4
150885	15.5/17.5-25	SP1000	4
150920	20.5-25	TRJ1175C	2



Item Number	Size	Valve	Box Quantity
160862	14/15.5/17.5R24/25	TRJ1175C	4
160871	13/1400R24/25	TR220A	4
160901	17.5R25	TRJ1175C	3
160921	20.5R25	TRJ1175C	2



INDUSTRIAL TUBES



Item Number	Size	Valve	Box Quantity
250060	2.80/2.50-4	TR87N	25
250065	2.80/2.50-4	JS87P	25
250070	4.10/3.50-4	TR87	25
250075	4.10/3.50-4	JS87P	25
250080	4.10/3.50-4	TR13	25
250085	9X3.50-4	TR87	25
250090	3.40/3.00-5	TR87	25
250100	11X4.00-5	TR87	25
250110	4.10/3.50-5	TR87	25
250115	4.10/3.50-5	TR13	25
250120	4.10/3.50-6	TR87N	25
250130	4.10/3.50-6	TR13	25
250135	400-6 NHS	TR13	25
250140	13X500-6	TR87	25
250145	13X500-6 NHS	TR13	25
250148	13X6.50-6	TR13	25
250150	15X600-6 NHS	TR13	20
250160	530/450-6 NHS	TR87	25
250170	8.00-6/7	JS87N	20
250200	3.00/3.50-8	TR13	25
250251	4.80/4.00-8 Off Center	TR13	25
250260	4.80/4.00-8	TR87	20
250270	5.70/5.00-8	TR13	18
250280	5.70/5.00-8	JS2	16
250290	16X650/750-8	TR13	18
250300	18X7-8	TR87	15
250350	18X850/950-8	TR13	12
250355	20X8/10-8	TR13	12
281000	400-9	TR13	25
250360	600/690-9	TR13	15
250370	600/690-9 (21X8-9)	TR150A	15
250380	600/690-9	JS2	15
250400	21X8-9	JS2	15
250435	650/750-10	TR75A	12
250440	650-10	TR150A	12
250460	650-10	JS2	12



Item Number	Size	Valve	Box Quantity
250610	750/900-10	TR75A	10
281020	900-10	TR150A	10
250640	20X8.00-10, 20.5X8.00-10	TR13	15
250730	400/480-12	TR13	20
250740	450/530-12	TR13	20
250745	6-12	TR13	20
250750	700-12	TR75A	10
250765	23X8.50/9.50/10.50-12	TR13	10
250780	23X10.5-12	TR13	10
250790	24/26X1200-12 NHS	TR13	8
250800	700/750-15 NHS	TR75A	9
250900	825-15 Double Weight	TR75A	7
251040	14.50-15	TR75A	10
251045	250/300-15	TR75A	8
251050	700/750-15, 27X8.50/9.50-15	TR15	10
251055	700/750-15, 27X8.50/9.50-15 NHS	TR218A	10
251210	28X9-15 (815-15)	TR75A	9
251220	28X12-15 NHS	TR75A	12
251530	32X12-15 NHS	TR75A	14
251550	31X15.50-15/12.5L-15/16	TR218A	6



Item Number	Size	Valve	Box Quantity
261545	600/690R9	JS2	15
261565	650R10	JS2	12
261655	700R12	TR75A	10
261710	825R15	TR75A	12
261720	10/1100R15	TR75A	12



Deli Tire

IMPLEMENT TUBES



Item Number	Size	Valve	Box Quantity
251550	31X15.50-15/12.5L-15/16	TR218A	6
281000	400-9	TR13	25
281028	600-14 (3.2 LBS)	TR227	12
281030	7.5/9.5L-14/15	TR15	16
281035	7.5/9.5L-14/15	TR13	16
322045	9.5LR15	TR218A	16
281095	11L-14	TR13	10
281120	11L-15	TR15	14
281133	11L-15/16 NHS	TR15CW	14
281134	11L-15/16 NHS	TR218A	14
281135	650/750-15	TR15	10
281136	11L/12.5L-15/16 NHS	TR15CW	14
281137	12.5L-15/16 NHS	TR15CW	12
281138	760-15	TR15	10
281139	400/500-15/16	TR15	18



Item Number	Size	Valve	Box Quantity
281140	550/600/650-16	TR15	12
281150	700/750-16	TR15	18
281160	900-16	TR15	12
281200	10/1100-15/16	TR218A	12
281285	1000/1100-16	TR15CW	6
281880	750-18	TR15	8
281890	400-18/19	TR15	15
281900	750/825-20	TR15CW	14
*281926	9.50/12.5LR18/20	TR218A	5
281930	1000-20	TR15CW	7
281935	1000-20 On Center	TR218A	7
310030	550/650-16	TR218A	12

*281926 - Radial

ALL TERRAIN VEHICLE (ATV/UTV) TUBES



Item Number	Size	Valve	Box Quantity
191410	18X8.50/9.50R8, 22X11R8, 21X12R8	TR6	12
191415	18X10R8, 19X8R8, 19X9R8, 20X7/10/11R8	TR6	12
191419	20X11R9, 21X8R9, 22X11R9	TR6	15
191420	25X12/13.50R9	TR6	7
191425	20X8R10, 21X8/7R10, 22X7R10	TR6	12
191430	20X10/11R10, 22X11R10, 24X11R10	TR6	10
191435	23.5X8R11, 24X8R11, 24X9R11	TR6	10
191440	25X8/9/10R12, 24X8R12	TR6	10
191445	191445	TR6	16
191450	26X8/9R14	TR6	15
191460	30X10R15, 31X10.50/11.50R15, 32X12.10-15, 33X10.50R15	TR6	14



TRACTOR TUBES



Item Number	Size	Valve	Box Quantity
310030	550/650-16	TR218A	12
310050	700/750-16	TR218A	16
310140	8.3/9.5-16	TR218A	16
310142	11.2/12.4/13.6-16	TR218A	12
312010	14L-16.1 NHS	TR15CW	7
312015	14L-16.1 NHS	TR218A	7
312020	13.50/16.5L-16.1	TR218A	7
312030	18.4/19.5/21.5L-16.1	TR218A	4
312035	8.3/9.5-22	TR218A	14
312050	8.3/9.5-24	TR218A	5
312060	11.2/12.4-24	TR218A	6
312063	13.6/12.4-24/26	TR218A	5
312065	13.6/14.9-24	TR218A	5
312070	14.9/16.9/17.5L-24	TR218A	4
312075	18.4/19.5/21L-24	TR218A	3
312090	23.1-26	TR218A	2
312100	28L-26	TR218A	1
312110	11.2/12.4-28	TR218A	5
312120	13.6/14.9-26/28	TR218A	4
312125	13.6/14.9-28	TR218A	4
312130	16.9/18.4-26/28	TR218A	4
312135	16.9/18.4-28	TR218A	4
312136	7.20-30, 9.5/9-28	TR218A	8
312140	16.9/18.4-30	TR218A	3
312160	9.5-32	TR218A	6
312190	11.2/12.4-34	TR218A	4
312200	16.9/18.4-34	TR218A	3
312220	9.5-36	TR218A	5
312240	11.2/12.4/13.6-36/38	TR218A	4
312245	11.2/12.4-38	TR218A	4
312250	13.6/14.9-38	TR218A	3
312255	13.6/14.9/15.5-36/38	TR218A	3
312260	15.5-38	TR218A	3
312270	16.9/18.4-38	TR218A	3
312280	20.8-38	TR218A	2



Item Number	Size	Valve	Box Quantity
322045	9.5LR15	TR218A	16
322050	8.3/9.5R24	TR218A	10
322060	11.2/12.4R24	TR218A	6
322065	13.6/12.4R24/26	TR218A	5
322070	14.9/16.9/17.5LR24	TR218A	4
322075	18.4/19.5/21LR24	TR218A	3
322091	23.1R26	TR218A	2
322101	28LR26	TR218A	1
322110	11.2/12.4R28	TR218A	5
322120	13.6/14.9R26/28	TR218A	4
322130	16.9/18.4R26/28	TR218A	4
322134	13.6/14.9R28/30	TR218A	4
322140	16.9/18.4R30	TR218A	3
322145	23.1R30	TR218A	2
322167	23.1R34, 24.5R32	TR218A	1
322181	30.5LR32	TR218A	1
322185	11.2/12.4R34	TR218A	4
322198	14.9R34	TR218A	3
322200	16.9/18.4R34	TR218A	3
322210	20.8R34	TR218A	1
322230	11.2/12.4/13.6R36/38	TR218A	4
322260	15.5R38	TR218A	3
322265	13.6/14.9/15.5R38	TR218A	3
322270	16.9/18.4R38	TR218A	3
322280	20.8R38	TR218A	2
322285	9.5/11.2/12.4R42	TR218A	5
322295	18.4/20.8R42	TR218A	1
322316	14.9R46	TR218A	2
322320	16.9/18.4R46	TR218A	2
322325	320/90R; 300/95R; 270/95R50/52/54 Natural Rubber	TR218A	1
322330	480/80R50; 16.9/18.4R50	TR218A	1



LOW PLATFORM TRAILER TUBES



Item Number	Size	Valve	Box Quantity
140800	700/750R15	TR75A	9
140810	825R15	TR77A	6
140825	900/1000/1100R15	TR78A	6





EXTREME SERVICE TUBES

Extreme Service Tubes are 10-30% heavier & 10-50% thicker than standard radial tubes and have a reinforced valve area making them more durable.



Item Number	Size	Valve	Box Quantity
332070	14.9/16.9/17.5LR24	TR218A	4
332120	13.6/14.9R26/28	TR218A	4
332130	16.9/18.4R26/28	TR218A	4
332134	13.6/14.9R28/30	TR218A	4
332140	16.9/18.4R30	TR218A	3
332185	24.5R32, 23.1R34	TR218A	1
332190	30.5LR32	TR218A	1
332200	16.9/18.4R34	TR218A	2
332265	13.6/14.9/15.5R38	TR218A	3
332270	16.9/18.4R38	TR218A	2
332280	20.8R38	TR218A	1
332295	18.4/20.8R42	TR218A	1
332330	23.1R26	TR218A	1
332360	28LR26	TR218A	1





Item Number	Flap Size	Suggested Tire Size	Hole Position	Box Quantity
403214	20-14	49X17	On Center	6



Item Number	Flap Size	Suggested Tire Size	Hole Position	Box Quantity
413025	9R6.5	6.00R9	On Center	40
413030	10R6.5	6.50/7.50R10	On Center	35
413070	12R5.5	7.00R12	On Center	35
413080	15R7.0	7.00/7.50/8.25R15	3/4 Off Center	21
413090	15R7.0	7.00/7.50/8.25R15	On Center	21
413100	15R7.9	9/10/11.00R15	On Center	18
413110	15R10	14.50R15	On Center	15
413120	16R6.9	6.00/7.50R16	3/4 Off Center	18
413121	16R6.9	6.50/7.50R16	On Center	18
413160	18R7.1	7.00/7.50R18	On Center	18
413180	20R7.4	8.25/9.00R20	On Center	14
413190	20R8.0	10.00/12.00R20	On Center	12
413200	20R9.9	13/14.00R20	On Center	8
413210	20R12	16.00R20	On Center	4
413260	24R8.2	11/12.00R24	On Center	6
413270	24R9.9	13/14.00R24	On Center	6
413350	24/25R10.1	13/14R24	3/4 Off Center	6



INNER TUBE VALVES

QUICK REFERENCE INDEX

BENT STEM VALVES (On Center)



PAGE
61

BENT STEM VALVES (On Center)



PAGE
62

STRAIGHT STEM VALVES (Off Center)




PAGE
63

ASSEMBLY VALVES




PAGE
64

BENT STEM INNER TUBE VALVES



TRJ1175C

Valve Number	A		B (diameter)		C		D		Bend Angle Z
	mm	Inches	mm	Inches	mm	Inches	mm	Inches	
TRJ1175C	35.05	1.38	31.75	1.25	104.9	4.13	4.06	0.16	88 Degree



TR87



JS87N



JS87P






JS2

Valve Number	A		B (diameter)		C		Bend Angle Z
	mm	inches	mm	inches	mm	inches	
TR87	14.99	.59	44.45	1.75	33.27	1.31	90 Degree
JS87N	14.99	.59	45	1.77	30	1.18	90 Degree
JS87P	14.99	.59	45	1.77	27.5	1.08	70 Degree
JS2	25.91	1.02	55.88	2.2	33.27	1.31	70 Degree

JS87N is at a 90 degree angle to inner tube. JS87P runs parallel to inner tube





BENT STEM INNER TUBE VALVES



Valve Number	A		A [†]		B (diameter)		C		Bend Angle Z
	mm	Inches	mm	Inches	mm	Inches	mm	Inches	
TR75A	95	3.74	23.88	.94	79.5	3.13	75.95	2.99	86 Degree
TR77A	123.95	4.88	23.88	.94	95.25	3.75	104.9	4.13	86 Degree
TR78A	146.05	5.75	23.88	.94	82.55	3.25	127	5	86 Degree
TR175A	134.11	5.28	23.88	.94	82.55	3.25	115.06	4.53	86 Degree
TR177A	114.05	4.49	23.88	.94	82.55	3.25	95	3.74	86 Degree
TR179A	160.02	6.3	23.88	.94	95.25	3.75	140.97	5.55	86 Degree
TR227	73.66	2.9	28.45	1.12	82.55	3.25	50.04	1.97	86 Degree


Equivalence Chart			
TR440 Series	TR460	TR75A	Bent Length (inches)
440	460	75A	2.99
441	461	177A	3.74
442	462	77A	4.13
443	463	175A	4.53
444	464	78A	5
445	465	179A	5.55

STRAIGHT STEM INNER TUBE VALVES




SP1000

Valve Number	A		B (diameter)		C	
	mm	Inches	mm	Inches	mm	Inches
SP1000	5.59	.22 ± .03	97.79	3.85	12.19	.48




TR220A



TR6

Valve Number	A		B (diameter)		C	
	mm	inches	mm	inches	mm	inches
TR218A	23.88	.94	63.5	2.5	16.26	.64
TR220A	34.04	1.34	63.5	2.5	16.26	.64

Valve Number	A		B (diameter)		C	
	mm	Inches	mm	Inches	mm	Inches
TR6	29.46	1.16	4.45	1.75	5.59	.22



TR13



TR15



TR70



TR300




TR135



TR150A

Valve Number	A		B (diameter)		C	
	mm	inches	mm	inches	mm	inches
TR13	35.05	1.38	55.88	2.2	11.68	.46
TR15	35.05	1.38	55.88	2.2	16.51	.65
TR70	27.94	1.1	81.28	3.2	12.19	.48
TR135	63.5	2.5	55.88	2.2	15.49	.61
TR150A	88.39	3.48	56.9	2.24	15.49	.61
TR300	50.04	1.97	70.1	2.76	15.75	.62


ASSEMBLY VALVES



TR412


TR413

Valve Number	A		B (diameter)		C	
	mm	inches	mm	inches	mm	inches
TR412	22.35	.88	19.81	.78	16.76	.66
TR413	31.75	1.25	19.81	.78	16.76	.66



TR600HP

Valve Number	A		B (diameter)		C		D		E	
	mm	inches	mm	inches	mm	inches	mm	inches	mm	inches
TR600HP	32.36	1.27	17.53	.69	13.72	.54	20.07	.79	8.13	.32



TR416S Bolt In

Valve Number	A		B (diameter)		C	
	mm	inches	mm	inches	mm	inches
TR416S Bolt In	36.58	1.44	17.02	.67	8.38	.33

Lined area for notes.



COUNTRYWIDE TIRE • 17200 Medina Rd. Suite 100 • Plymouth, MN 55447 • 1.800.328.0773 • countrywidetire.com